

ToeOFF[®] FLOW 2½ & Ypsilon[®] FLOW ½

Allards newest generation of AFO's

For your active patients or others who require less resistance or more ROM. The newest dimension in Allard carbon composite AFO technology that is recognized worldwide for providing dynamic response without limiting function.

GO with the
flow

A person wearing a white blazer and shorts is walking on a wooden pier. They are wearing a black Allard AFO on their right leg. The background is a blue ocean under a clear sky.

The FLOW technology

We applied Allard's 25+ years of AFO carbon composite experience and advances in technology to create the proprietary formula to meet the functional and comfort needs of even more individuals.

- Smoother transition (flow) throughout the gait cycle
- Increased ROM in sagittal plane
- Accommodates lower shoe heel heights
- Accommodates gentler contours of shoe insoles
- More clearance for forefoot in the shoe toe box
- Easier to customize to meet alignment and biomechanical needs



- 1 Flow accommodates shoes with lower heel height
- 2 New proprietary formula offers more ROM in sagittal plane
- 3 A lower toe lift that allows for more space in the toe box
- 4 The bottom of the footplate is thinner and more level to accommodate gentler footbed contours



15 mm heel height*

7 mm heel height

* The specified heel heights are an average, varies slightly between the sizes

Ypsilon® FLOW ½ was designed for the stable ankle to provide dynamic toe-off assistance while allowing natural ankle movement.

- Allows more medial, lateral and rotational ankle movement, which will provide an opportunity for muscles, tendons and ligaments to function and strengthen.
- FLOW offers greatest ROM in sagittal plane and smoother transition throughout the gait cycle.
- To better accommodate today's shoe fashions this orthosis has 7mm heel height.

Ypsilon® FLOW ½ is suggested for patients with:

- Weak dorsiflexors
- Peroneal nerve injury
- No/mild spasticity
- Sensory Nerve Injury
- Functions well for higher activity levels



Ypsilon® FLOW ½
• ComfortPAD™ Included

ToeOFF® FLOW 2½ is recommended for mild to moderate ankle instability and mild to moderate proximal deficits.

- Provides added rigidity to stabilize the unstable ankle and provide added control of proximal deficits.
- FLOW offers greatest ROM in sagittal plane and smoother transition throughout the gait cycle.
- To better accommodate today's shoe fashions this orthosis has 7mm heel height.
- A more organic shape with shorter wings.

ToeOFF® FLOW 2½ is suggested for patients with:

- Mild proximal deficits
- Mild spasticity
- Limb proprioception deficit
- Functions well for higher activity levels



ToeOFF® FLOW 2 ½
• Starter SoftKIT™ Interface included
• MikroFIX™ Pre-Applied

Tailor Product Selection to Specific Patient Needs

	Ypsilon® FLOW ½	ToeOFF® FLOW 2½	ToeOFF®2.0 ToeOFF® 2½	BlueROCKER®2.0 BlueROCKER® 2½
Allows Range Of Motion	●●●●○	●●●○○	●●○○○	●○○○○
M-L Stability	●●○○○	●●●○○	●●●●○	●●●●●
A-P Stability	●●○○○	●●●○○	●●●●○	●●●●●
Dorsiflexion Assist	●●○○○	●●●○○	●●●●○	●●●●●
Spasticity Control	●●○○○	●●●○○	●●●●○	●●●●●

Call or email to receive our item number and sizing chart.

For more information on 40 reasons why Allard became the world leader in carbon composite AFOs, visit AllardAFO.com!

Support for Better Life

Everyone should be able to live their life to the fullest, regardless of their mobility challenges. With innovative solutions developed in close collaboration with healthcare professionals and patients, we strive to provide Support for Better Life.

allard

Allard USA Inc.

300 Forge Way, Suite 3, Rockaway NJ 07866-2056, USA | 888-678-6548 | info@allardusa.com | allardusa.com